

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	((chang\$5 or modif\$5) near6 parameter) and ((mov\$5 or shift\$5 or transfer\$5 or shuffl\$5) near6 data) and "384"/\$.ccls. and @ad<"20030204" and @ad<"20030204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 11:59
L2	209	((stor\$5 or buffer\$5) near3 data) and "384"/\$.ccls. and @ad<"20030204" and @ad<"20030204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 12:01
L3	0	((stor\$5 or buffer\$5) near3 data) and (input near2 code) and "384"/\$.ccls. and @ad<"20030204" and @ad<"20030204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 12:02
L4	1	((stor\$5 or buffer\$5) near3 data) and video and decoder and "384"/\$.ccls. and @ad<"20030204" and @ad<"20030204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 12:03
L5	15	((stor\$5 or buffer\$5) near3 data) and video and "384"/\$.ccls. and @ad<"20030204" and @ad<"20030204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 12:04
L6	3	((stor\$5 or buffer\$5) near3 data) and decoder and "384"/\$.ccls. and @ad<"20030204" and @ad<"20030204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 12:05
L7	1	(stor\$5 or buffer\$5) and (video near2 decoder) and "384"/\$.ccls. and @ad<"20030204" and @ad<"20030204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 12:07

L8	1	(stor\$5 or buffer\$5 or fifo) and (video near2 decoder) and "384"/\$.ccls. and @ad<"20030204" and @ad<"20030204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 12:08
L9	1	(stor\$5 or buffer\$5 or fifo) and (video near2 decoder) and "384"/\$.ccls. and @ad<"20030204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 12:08
L10	1	(stor\$5 or buffer\$5 or fifo) and video and decoder and "384"/\$.ccls. and @ad<"20030204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 12:09
L11	1	video and decoder and "384"/\$.ccls. and @ad<"20030204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 12:10
L12	209	((stor\$5 or buffer\$5) near3 data) and "384"/\$.ccls. and @ad<"20030204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 12:10
L13	209	((stor\$5 or buffer\$5 or fifo) near3 data) and "384"/\$.ccls. and @ad<"20030204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 12:10
L14	15	((stor\$5 or buffer\$5 or fifo) near3 data) and video and "384"/\$.ccls. and @ad<"20030204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 12:11
L15	189	video and "384"/\$.ccls. and @ad<"20030204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 12:11

L16	1	video and (decoder or coder) and "384"/\$.ccls. and @ad<"20030204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 12:12
L17	29498	((stor\$5 or buffer\$5) near3 data) and "348"/\$.ccls. and @ad<"20030204" and @ad<"20030204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 12:13
L18	988	((stor\$5 or buffer\$5) near3 data) and (input near2 code) and "348"/\$.ccls. and @ad<"20030204" and @ad<"20030204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 12:13
L19	354	((stor\$5 or buffer\$5) near3 data) and (input near2 code) and (output near2 code) and "348"/\$.ccls. and @ad<"20030204" and @ad<"20030204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 12:14
L20	235	((stor\$5 or buffer\$5) near3 data) and (input near2 code) and decoder and (output near2 code) and "348"/\$.ccls. and @ad<"20030204" and @ad<"20030204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 12:14
L21	162	((stor\$5 or buffer\$5) near3 data) and (input near2 code) and decoder and (output near2 code) and (video near2 signal) and "348"/\$.ccls. and @ad<"20030204" and @ad<"20030204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 12:15
L22	1396	decoder same (digital near3 (video near2 signal)) and "348"/\$.ccls. and @ad<"20030204" and @ad<"20030204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 12:18
L23	3	decoder same (digital near3 (video near2 signal)) same (fifo near3 (data near2 buffer)) and "348"/\$.ccls. and @ad<"20030204" and @ad<"20030204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 12:19

L24	22	decoder same (digital near3 (video near2 signal)) and (fifo near3 (data near2 buffer)) and "348"/\$.ccls. and @ad<"20030204" and @ad<"20030204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 12:19
L25	296	(digital near2 video) same (data near2 buffer) and "348"/\$.ccls. and @ad<"20030204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 12:23
L26	43	(digital near2 video) same (data near2 buffer) same mpeg and "348"/\$.ccls. and @ad<"20030204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 12:24
L27	19	(digital near2 video) same (data near2 buffer) and mpeg and (vlc or variable length code) and "348"/\$.ccls. and @ad<"20030204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 12:25
L28	37	(digital near2 video) same (data near2 buffer) and mpeg and (vlc or variable length code) and @ad<"20030204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/24 12:27
S1	2	"6671323".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/19 08:56
S2	2	"6075900".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/19 08:59
S3	2336	iso near3 "13818" and @ad<"20030204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/19 10:18

S4	27	iso near3 "13818" and ((mov\$5 or transfer\$5 or shift\$5) near6 (user near2 data)) and @ad<"20030204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/19 10:22
S5	0	iso near3 "13818" and ((mov\$5 or transfer\$5 or shift\$5) and ((chang\$5 or modif\$5) near8 parameter) near6 (user near2 data)) and @ad<"20030204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/19 10:25
S6	17	iso near3 "13818" and ((mov\$5 or transfer\$5 or shift\$5) near6 (user near2 data)) and (data near5 structure) and @ad<"20030204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/19 10:28
S7	17	((mov\$5 or transfer\$5 or shift\$5) near6 (user near2 data)) and (data near5 structure) and (iso near3 "13818") and @ad<"20030204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/19 10:35
S8	1	((chang\$5 or modif\$5) near6 parameter) same (code near3 size) and (iso near3 "13818") and @ad<"20030204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/19 10:38
S9	3	((chang\$5 or modif\$5) near6 parameter) and (code near3 size) and (iso near3 "13818") and @ad<"20030204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/19 10:42
S10	0	((chang\$5 or modif\$5) near6 parameter) same ((mov\$5 or shift\$5 or transfer\$5 or shuffl\$5) near6 data same (third near2 layer)) and (iso near3 "13818") and @ad<"20030204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/19 10:50
S11	0	((chang\$5 or modif\$5) near6 parameter) same ((mov\$5 or shift\$5 or transfer\$5 or shuffl\$5) near6 data) and (third near2 layer) and (iso near3 "13818") and @ad<"20030204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/19 10:50

S12	0	((chang\$5 or modif\$5) near6 parameter) same ((mov\$5 or shift\$5 or transfer\$5 or shufffl\$5) near6 data same (higher near4 layer)) and (iso near3 "13818") and @ad< "20030204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/19 10:51
S13	0	((chang\$5 or modif\$5) near6 parameter) same ((mov\$5 or shift\$5 or transfer\$5 or shufffl\$5) near6 data) same ((higher or upper) near4 layer) and (iso near3 "13818") and @ad< "20030204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/19 10:52
S14	0	((chang\$5 or modif\$5) near6 parameter) same ((mov\$5 or shift\$5 or transfer\$5 or shufffl\$5) near6 data) and ((higher or upper) near4 layer) and (iso near3 "13818") and @ad< "20030204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/19 10:52
S15	0	((chang\$5 or modif\$5) near6 parameter) same ((mov\$5 or shift\$5 or transfer\$5 or shufffl\$5) near6 data) and ((higher or upper or third) near4 layer) and (iso near3 "13818") and @ad< "20030204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/19 10:52
S16	5	((chang\$5 or modif\$5) near6 parameter) same ((mov\$5 or shift\$5 or transfer\$5 or shufffl\$5) near6 data) and (iso near3 "13818") and @ad< "20030204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/19 10:52
S17	2	"5241383".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/19 10:57

S18	0	((chang\$5 or modif\$5) near6 parameter) same ((mov\$5 or shift\$5 or transfer\$5 or shuffl\$5) near6 (user near2 data)) and (hierarchical near3 data near3 structure) and @ad<"20030204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/19 14:12
S19	6	((chang\$5 or modif\$5) near6 parameter) and ((mov\$5 or shift\$5 or transfer\$5 or shuffl\$5) near6 (user near2 data)) and (hierarchical near3 data near3 structure) and @ad<"20030204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/19 14:14
S20	104	((chang\$5 or modif\$5) near6 parameter) and ((mov\$5 or shift\$5 or transfer\$5 or shuffl\$5) near6 data) and (iso near3 "13818") and @ad<"20030204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/19 14:21
S21	14	((chang\$5 or modif\$5) near6 parameter) and ((mov\$5 or shift\$5 or transfer\$5 or shuffl\$5) near6 (user near3 data)) and (iso near3 "13818") and @ad<"20030204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/19 14:23
S22	1	((chang\$5 or modif\$5) near6 parameter) and ((mov\$5 or shift\$5 or transfer\$5 or shuffl\$5) near6 data) and (code near3 size) and (iso near3 "13818") and @ad<"20030204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/19 14:27
S23	1	((chang\$5 or modif\$5) near6 parameter) same (code near3 size) and (iso near3 "13818") and @ad<"20030204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/19 14:29
S24	5	"607590".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/19 17:51

S25	2	"6075900".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/19 17:52
S26	3	((chang\$5 or modif\$5 or transform\$5 or alter\$5 or adapt\$5) near6 parameter) and (code near3 size) and (iso near3 "13818") and @ad<"20030204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/31 16:12
S27	0	((((chang\$5 or modif\$5 or transform\$5 or alter\$5 or adapt\$5) near6 parameter) with ((chang\$5 or modif\$5 or transform\$5 or alter\$5 or adapt\$5) near3 (code near3 size))) and (iso near3 "13818") and @ad<"20030204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/31 16:17
S28	0	((((chang\$5 or modif\$5 or transform\$5 or alter\$5 or adapt\$5) near6 parameter) and ((chang\$5 or modif\$5 or transform\$5 or alter\$5 or adapt\$5) near3 (code near3 size))) and (iso near3 "13818") and @ad<"20030204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/31 16:17
S29	0	((((chang\$5 or modif\$5 or transform\$5 or alter\$5 or adapt\$5) near6 parameter) and ((chang\$5 or modif\$5 or transform\$5 or alter\$5 or adapt\$5) with (code near3 size))) and (iso near3 "13818") and @ad<"20030204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/31 16:18
S30	24	((chang\$5 or modif\$5 or transform\$5 or alter\$5 or adapt\$5) near6 parameter) and (code near3 (size or volume or amount)) and (iso near3 "13818") and @ad<"20030204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/31 16:21



S31	7	((chang\$5 or modif\$5 or transform\$5 or alter\$5 or adapt\$5) near6 parameter) same (code near3 (size or volume or amount)) and (iso near3 "13818") and @ad<"20030204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/31 16:21
-----	---	--	---	-----	----	---------------------

8/ 24/ 2010 12:29:23 PM

C:\ Documents and Settings\ sbokhari\ My Documents\ EAST\ Workspaces\ 10541221a.wsp